PATENT

Listing of Claims:

1   1.   (Currently Amended) A method for monitoring multiple online resources
2   in different formats, the method comprising the steps of:
3   identifying an online resource to monitor, the online resource being stored in a
4   first format, the online resource in the first format including data in a non-strict architectural
5   structure;
6   converting the online resource to a strict formatted file, wherein data in the first
7   format of the online resource is converted into a strict architectural structure in the strict
8   formatted file;
9   identifying relevant data based on the strict architectural structure of the data in
10   the strict formatted file using an analytic parser; and
11   comparing the identified relevant data to a most recent archived copy of the
12   identified relevant data to determine ~~determining~~ whether the identified relevant data has been
13   altered.

1   2.   (Previously Presented) The method of claim 1 wherein the online
2   resource is a HyperText Markup Language application.

1   3.   (Previously Presented) The method of claim 1 wherein the online
2   resource is a non-HyperText Markup Language application.

1   4.   (Previously Presented) The method of claim 3 further comprising the step
2   of converting the online resource from the non-HyperText Markup Language application to a
3   HyperText Markup Language application, wherein converting the online resource to the strict
4   formatted file comprises converting the HyperText Markup Language application to the strict
5   formatted file.

1   5.   (Previously Presented) The method of claim 1 wherein an Extensible
2   Style Sheet Transform is used to convert the online resource to the strict formatted file.

Oracle Reference No. OID-2005-243-01

1   6.   (Previously Presented) The method of claim 1 wherein the strict

2   formatted file is an Extensible Markup Language application.

1   7.   (Previously Presented) The method of claim 1 wherein the strict

2   formatted file is an Extensible HyperText Markup Language application.

1   8.   (Previously Presented) The method of claim 1 wherein the strict

2   formatted file is a document object model of the online resource.

1   9.   (Previously Presented) The method of claim 1 wherein the analytic parser

2   is a script that operates on the strict formatted file.

1   10.   (Previously Presented) The method of claim 9 wherein the script

2   identifies relevant data via markers within the strict formatted file.

1   11.   (Canceled)

1   12.   (Currently Amended) The method of claim [[11]] 1 further comprising

2   the step of storing the identified relevant data within a database.

1   13.   (Previously Presented) The method of claim 1 further comprising the step

2   of automatically notifying a user when the identified relevant data has changed.

1   14.   (Previously Presented) The method of claim 1 further comprising the step

2   of automatically updating a database.

1   15.   (Currently Amended) A system for monitoring multiple files in disparate

2   formats, the system comprising:

3   a file type identifier module adapted to identify the format of a particular online

4   resource, the online resource in the first format including data in a non-strict architectural

5   structure;

Oracle Reference No. OID-2005-243-01

6   a format conversion module adapted to convert the online resource to a strict

7   formatted file, wherein data in the format of the online resource is converted into a strict

8   architectural structure in the strict formatted file;

9   an analytic parser adapted to identify relevant data in the strict architectural

10   structure in the strict formatted file;

11   a resource filter adapted to determine whether the identified relevant data has

12   been altered <u>by comparing the identified relevant data to a most recent archived copy of the</u>

13   <u>identified relevant data.</u>

1   16.   (Previously Presented) The system of claim 15 wherein the online

2   resource is a HyperText Markup Language application.

1   17.   (Previously Presented) The system of claim 15 wherein the online

2   resource is a non-HyperText Markup Language application.

1   18.   (Previously Presented) The system of claim 17 further comprising an

2   HTML conversion module adapted to convert the online resource from the non-HyperText

3   Markup Language application to a HyperText Markup Language application, wherein the forma

4   conversion module is adapted to convert the online resource to the strict formatted file by

5   converting the HyperText Markup Language application to the strict formatted file.

1   19.   (Previously Presented) The system of claim 15 wherein an Extensible

2   Style Sheet Transform is used to convert the online resource to the strict formatted file.

1   20.   (Previously Presented) The system of claim 15 wherein the strict

2   formatted file is an Extensible Markup Language application.

1   21.   (Previously Presented) The system of claim 15 wherein the strict

2   formatted file is an Extensible HyperText Markup Language application.

1   22.   (Previously Presented) The system of claim 15 wherein the strict

2   formatted file is a document object model of the online resource.

1   23.   (Previously Presented) The system of claim 15 wherein the analytic
2   parser is a script that operates on the strict formatted file.

1   24.   (Previously Presented) The system of claim 23 wherein the script
2   identifies relevant data via markers within the strict formatted file.

1   25.   (Canceled)

1   26.   (Currently Amended) The system of claim 15 wherein the identified
2   relevant data is stored within a database.

1   27.   (Previously Presented) The system of claim 15 further comprising a
2   monitoring module adapted to automatically notify a user when the identified relevant data has
3   changed.

1   28.   (Previously Presented) The system of claim 15 further comprising a
2   monitoring module adapted to automatically update a database when the identified relevant data
3   has changed.

1   29.   (Currently Amended) A method for monitoring multiple online resources
2   in different formats, the method comprising the steps of:
3   identifying an online resource to monitor, the online resource being stored in a
4   first format, the online resource in the first format including data in a non-strict architectural
5   structure;
6   converting the online resource to a strict formatted file, wherein data in the first
7   format of the online resource is converted into a strict architectural structure in the strict
8   formatted file;
9   identifying relevant data based on the strict architectural structure in the strict
10   formatted file using analytic parser; and
11   remotely updating the relevant data in a database using a script.

Oracle Reference No. OID-2005-243-01

PATENT

1   30.   (Currently Amended) A system for monitoring multiple files in disparate

2   formats, the system comprising:

3   a file type identifier module adapted to identify the format of a particular online

4   resource, the online resource in the first format including data in a non-strict architectural

5   structure;

6   a format conversion module adapted to convert the online resource to a strict

7   formatted file, wherein data in the format of the online resource is converted into a strict

8   architectural structure in the strict formatted file;

9   an analytic parser adapted to identify relevant data in the strict architectural

10   structure in the strict formatted file; and

11   a resource updater to update the identified relevant data in a database.

1   31.   (Previously Presented) The method of claim 1, wherein identifying

2   relevant data in the strict formatted file comprises identifying data flags or identifiers in the stric

3   architectural structure to identify the relevant data.

1   32.   (Previously Presented) The system of claim 15, wherein the analytic

2   parser is adapted to identify data flags or identifiers in the strict architectural structure to identify

3   the relevant data.

1   33.   (Previously Presented) The method of claim 29, wherein identifying

2   relevant data in the strict formatted file comprises identifying data flags or identifiers in the stric

3   architectural structure to identify the relevant data.

1   34.   (Previously Presented) The system of claim 30, wherein the analytic

2   parser is adapted to identify data flags or identifiers in the strict architectural structure to identify

3   the relevant data.

1   35.   (New) A method for monitoring multiple online resources in different

2   formats, the method comprising the steps of:

Oracle Reference No. OID-2005-243-01

3   identifying a plurality of online resources to monitor, at least one resource of the

4   plurality of online resources being stored in a first format including data in a non-strict

5   architectural structure;

6   converting each of the plurality of online resources to a strict formatted file,

7   wherein data in the first format of the at least one online resource is converted into a strict

8   architectural structure in the respective strict formatted file;

9   identifying relevant data based on the strict architectural structure of the data in

10   each strict formatted file using an analytic parser;

11   comparing the identified relevant data to a most recent archived copy of the

12   identified relevant data to determine whether the identified relevant data has been altered; and

13   automatically updating altered identified relevant data to a new archived copy.

Oracle Reference No. OID-2005-243-01